




“Crazy Train”


Finished Size: 72” x 84”

Presented to you by
 Quilt Among Friends
 Arlington, TX




FABRIC REQUIREMENTS:

1 1/2 yd light fabric 

2/3 yd medium light fabric 

2/3 yd medium fabric 

1 1/2 yd medium dark fabric 

1 3/4 yd dark fabric 

1 1/2 yd border fabric

5/8 yd binding fabric



5 1/8 yd backing fabric



INSTRUCTIONS:

PLEASE READ ALL OF THE INSTRUCTIONS BEFORE YOU BEGIN SEWING.


- ❖ All seams are sewn with a 1/4" seam allowance.
- ❖ PRESS OPEN ALL SEAMS to assist with bulk.



STEP 1 – CUTTING FABRIC

From the light fabric cut:

- Three 6 7/8" strips; subcut into fifteen 6 7/8" squares cut diagonally once
- Two 7 1/4" strips; subcut into eight 7 1/4" squares cut diagonally twice
- Two 3 7/8" strips; subcut into fifteen 3 7/8" squares cut diagonally once
- Two 4 1/4" strips; subcut into fifteen 4 1/4" squares cut diagonally twice



From the medium light fabric cut:

- Three 7 1/4" strips; subcut into fifteen 7 1/4" squares cut diagonally twice




From the medium fabric cut:

- Six 3 1/2" strips; subcut into sixty 3 1/2" squares



From the medium dark fabric cut:

- Three 6 7/8" strips; subcut into fifteen 6 7/8" squares cut diagonally once
- Two 7 1/4" strips; subcut into eight 7 1/4" squares cut diagonally twice
- Two 3 7/8" strips; subcut into fifteen 3 7/8" squares cut diagonally once
- Two 4 1/4" strips; subcut into fifteen 4 1/4" squares cut diagonally twice



From the dark fabric cut:

- Six 6 7/8" strips; subcut into thirty 6 7/8" squares cut diagonally once
- Three 6 1/2" strips; subcut into fifteen 6 1/2" squares



From the border fabric cut:

- Eight 6 1/2" strips; piece together and subcut into four 6 1/2" x 72 1/2" borders

From the binding fabric cut:

- Eight 2 1/2" strips; piece together to make one long strip




INSTRUCTIONS:


**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 2 – ASSEMBLE “MONKEY WRENCH” BLOCKS:


1. Sew a 4 ¼” light triangle to the left of a 5 ¼” medium dark triangle. Make 30 each. Sew fifteen in the reverse direction as shown.



2. Sew a 3 7/8” medium dark triangle to the bottom left of the first set of triangles and a 3 7/8” light triangle to the bottom right of the second set of triangles as shown. Make 30 each.



3. Sew two, of each of the squares made in step 2 above, together to make the block. Make 15 blocks.






INSTRUCTIONS:


PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.

STEP 2 – ASSEMBLE “MONKEY WRENCH” BLOCKS (CONTINUED):

4. Mark the center of the $7\frac{1}{4}$ " light and medium dark triangles along the long edge and match to the center of the block. Sew as shown.



5. Mark the center of the $6\frac{7}{8}$ " light and medium dark triangles along the long edge. Match and sew to the block made in step 4. Make 15 blocks.





INSTRUCTIONS:


**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 3 – ASSEMBLE “SQUARE IN A SQUARE” BLOCKS:


1. Sew a 3 1/2” medium square to each corner of a 6 1/2” dark square. Make 15.



2. Mark the center of the 7 1/4” medium light triangles along the long edge. Match and sew to the block made in step 1 above. Make 15 blocks.



3. Mark the center of the 6 7/8” dark triangles along the long edge. Match and sew to the block made in step 2 above. Make 15 blocks





INSTRUCTIONS:

**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 4 – COMPLETE THE QUILT TOP:

1. Sew the blocks in six rows of five blocks starting with a Monkey Wrench block and alternating with the Square in a Square block.
2. Sew two 6 ½" x 72 ½" borders to the two sides of the quilt top. Sew the other 6 ½" x 72 ½" borders to the top and bottom of the quilt top.
3. Layer the quilt back right side down, the batting, and the quilt top. Quilt as desired. Trim the backing and batting even with the quilt to
4. Stitch the binding, raw edges even to the quilt. Turn to the back and slipstitch.

Note: While every effort has been made to create this pattern without errors, no warranty is given nor results guaranteed.